# Annual Drinking Water Quality Report Attalla Water Works Board

January-December 2022.

#### Is my water safe?

Last year, as in years past, your tap water met all U.S. Environmental Protection Agency (EPA) and the Alabama Department of Environmental Management (ADEM) drinking water health standards. Your Local Water officials vigilantly safeguard its water supplies and once again we are proud to report that our system has not violated a maximum contaminant level or any other water quality standards. We're pleased to present to you this year's Annual Drinking Water Quality Report. This report is designed to inform you about the quality water and services we deliver to you every day. Our constant goal is to provide you with a safe and dependable supply of drinking water. We want you to understand the efforts we make to continually improve the water treatment process and protect our water resources. We are committed to ensuring the quality of your water. Our water treatment facility and well field are located just outside the city limits on Highway 77 at the old "Lake RHEA" site. We have four deep wells; they can produce 1905 gallons per minute. The Attalla Water Works Board routinely completes a water storage facility inspection plan and utilizes a Bacteriological Monitoring Plan and a Cross Connection Policy is in place to insure good safe drinking water for our customers. Chlorine is added to the water as disinfectant and the required residual is maintained to protect your drinking water from any possible outside contaminants. We have a Source Water Protection Plan available for review that provides more information such as potential sources of contamination. We are committed to ensuring the quality of your water.

If you have any questions concerning this report or your water utility, please call Chris Boleware at 256-538-2816. We want our valued customers to be informed about their water utility. If you want to learn more, please attend any of our regularly scheduled meetings held on the second and fourth Monday of each month at The Water Works Board Office, 509 Fourth Street NW, Attalla, Alabama, 35954 beginning at 4:00 PM.

#### BOARD OF DIRECTORS

a Bobby Bryant – Chairman

Parker Ray Wain

**b** Jeff Bailey

Beth Billingsley – Vice Chairman
 Jeff Garrard

Attalla Water Works Board routinely monitors for contaminants in your drinking water according to Federal and State laws. This table shows the results of our monitoring for the period of January 1<sup>st</sup> to December 31<sup>st</sup>, 2022. All drinking water, including bottled drinking water, may be reasonably expected to contain at least small amounts of some contaminants. It's important to remember that the presence of these contaminants does not necessarily pose a health risk.

#### PLAIN LANGUAGE DEFINITION

- Not Required (NR) Laboratory analysis not required due to waiver granted by the Environmental Protection Agency for the State of Alabama.
- A Parts per million (ppm) or Milligrams per liter (mg/l) one part per million corresponds to one minute in two years or a single penny in \$10,000.
- ▲ Parts per billion (ppb) or Micrograms per liter one part per billion corresponds to one minute in 2,000 years, or a single penny in \$10,000,000.
- ▲ Parts per trillion (ppt) or Nanograms per liter (nanograms/l) one part per trillion corresponds to one minute in 2,000,000 years, or a single penny in 10.000.000.000.
- Parts per quadrillion (ppq) or Picograms per liter (picograms/l) one part per quadrillion corresponds to one minute in 2,000,000,000,000 years or one penny in \$10,000,000,000,000.
- ▲ Picocuries per liter (pCi/L) picocuries per liter is a measure of the radioactivity in water.
- ▲ Millirems per year (mrem/yr) measure of radiation absorbed by the body.
- Nephelometric Turbidity Unit (NTU) nephelometric turbidity unit is a measure of the clarity of water. Turbidity in excess of 5 NTU is just noticeable to the average person.
- ▲ Variances & Exemptions (V&E) State or EPA permission not to meet an MCL or a treatment technique under certain conditions.
- a Action Level (AL) the concentration of a contaminant which, if exceeded, triggers treatment or other requirements which a water system must follow
- Maximum Contaminant Level (mandatory language) The "Maximum Allowed" (MCL) is the highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best available treatment technology.
- Maximum Contaminant Level Goal (mandatory language) The "Goal" (MCLG) is the level of a contaminant in drinking water below which there is no known or expected risk to health. MCLGs allow for a margin of safety.
- A Maximum Residual Disinfectant Level Goal or MRDLG The level of a drinking water disinfectant below which there is no known or expected risk to health. MRDLGs do not reflect the benefits of the use of disinfectants to control microbial contaminants.
- Maximum Residual Disinfectant Level or MRDL The highest level of a disinfectant allowed in drinking water. There is convincing evidence that addition of a disinfectant is necessary for control of microbial contaminants.
- ▲ T.O.N Threshold odor number.

#### Contaminants that may be present in source water include:

- Microbial contaminants, such as viruses and bacteria, which may come from sewage treatment plants, septic systems, agricultural livestock operations, and wildlife.
  - Ingranic contaminants such as salts and motals which can be naturally occurring or result from urban storm water run-off industrial or

## **Table of Primary Contaminants**

CONTAMINANT         MCL         DETECTED         CONTAMINANT         MCL         DETECT           Bacteriological         ————————————————————————————————————	At high levels some primary conta	aminants are k	nown to pose a hea contamina	Ith risks to humans. This table provides a quot detections.	uick glance	of any primary
Endothall(ppb)   100   ND	CONTAMINANT			MCL	AMOUNT DETECTEI	
Total Coliform Bacteria			March 15 New Y			
Turbidity		< 5%	ND		2	ND
Fecal Coliform & E. coli					4	ND
Ethylene dibromide(ppt)   50 ND					700	ND
Beta/photon emitters (mrem/yr)						ND
Alpha emitters (pci/l)   15   1.70		4	ND			ND
Combined radium (pci/l)         5         ND         Heptachlor(ppt)         400         ND           Uranium(pci/l)         30         ND         Heptachlor epoxide(ppt)         200         ND           Inorganic         Hexachloroberace(ppb)         1         ND           Antimony (ppb)         6         ND         Hexachloroberace(ppb)         1         ND           Antimony (ppb)         6         ND         Hexachlorocyclopentadiene(ppm)         50         ND           Arsenic (ppb)         10         ND         Lindane(ppt)         200         ND           Asbestos (MFL)         7         ND         Methoxychlor(ppb)         40         ND           Barlum (ppm)         2         0.07         Oxamyl (Vydatel(ppb)         200         ND           Beryllium (ppb)         4         ND         Pentachlorochpenol(ppb)         1         ND           Beryllium (ppb)         10         ND         Pentachlorochpenol(ppb)         50         ND           Cadmium (ppb)         10         ND         Pentachlorochpenol(ppb)         50         ND           Chlorine (ppm)         4         ND         Styrene(ppb)         500         ND           Chlorine (ppm)         4 <td></td> <td>15</td> <td>1.70</td> <td></td> <td>60</td> <td>27.75</td>		15	1.70		60	27.75
Uranium(pci/l)   30		5	ND	11.1	400	ND
Hexachlorobenzene(ppb)   1		30	ND		200	ND
Antimony (ppb)         6         ND         Hexachlorocyclopentadiene(ppm)         50         ND           Arsenic (ppb)         10         ND         Lindane(ppt)         200         ND           Asbestos (MFL)         7         ND         Methoxychlor(ppb)         40         ND           Barium (ppm)         2         0.07         Oxamyl [Vydate](ppb)         200         ND           Beryllium (ppb)         4         ND         Pentachlorophenol(ppb)         1         ND           Beryllium (ppb)         4         ND         Pentachlorophenol(ppb)         1         ND           Beryllium (ppb)         5         ND         Petachlorophenol(ppb)         500         ND           Cadmium (ppb)         5         ND         PCBs(ppt)         500         ND           Chlorine (ppm)         4         ND         Simazine(ppb)         4         ND           Chlorine (ppm)         4         2.08         Styrene(ppb)         100         ND           Chlorine dioxide(ppb)         800         ND         Tetrachloroethylene(ppb)         5         ND           Chlorine dioxide(ppm)         1         ND         Toluene(ppm)         1         ND           Chlorite(pm)<		7 23.58			1	ND
Arsenic (ppb)         10         ND         Lindane(ppt)         200         ND           Asbestos (MFL)         7         ND         Methoxychlor(ppb)         40         ND           Barium (ppm)         2         0.07         Oxamyl [Vydate](ppb)         200         ND           Beryllium (ppb)         4         ND         Pentachlorophenol(ppb)         1         ND           Beryllium (ppb)         5         ND         PCBs(ppt)         500         ND           Beryllium (ppb)         5         ND         PCBs(ppt)         500         ND           Cadmium (ppb)         5         ND         PCBs(ppt)         500         ND           Cadmium (ppb)         4         ND         Simazine(ppb)         4         ND           Chlorine dioxide(ppm)         4         ND         Simazine(ppb)         4         ND           Chlorine dioxide(ppb)         800         ND         Tetrachloroethylene(ppb)         5         ND           Chlorine dioxide(ppb)         800         ND         Tetrachloroethylene(ppb)         5         ND           Chlorine dioxide(ppb)         1         ND         Toluene(ppm)         1         ND           Chlorine dioxide(ppb)		6	ND		50	ND
Asbestos (MFL)         7         ND         Methoxychlor(ppb)         40         ND           Barium (ppm)         2         0.07         Oxamyl [Vydate](ppb)         200         ND           Beryllium (ppb)         4         ND         Pentachlorophenol(ppb)         1         ND           Bromate(ppb)         10         ND         Picloram(ppb)         500         ND           Cadmium (ppb)         5         ND         PCBs(ppt)         500         ND           Chlorinines(ppm)         4         ND         Simazine(ppb)         4         ND           Chlorine dioxide(ppm)         4         2.08         Styrene(ppb)         100         ND           Chlorine dioxide(ppb)         800         ND         Tetrachloroethylene(ppb)         5         ND           Chlorine dioxide(ppb)         800         ND         Toluene(ppm)         1         ND           Chlorine dioxide(ppb)         800         ND         Toluene(ppm)         1         ND           Chlorine dioxide(ppb)         10         ND         Toluene(ppm)         1         ND           Chlorine dioxide(ppb)         1         ND         Toluene(ppm)         1         ND           Chromium (ppb)		10	ND	Lindane(ppt)	200	ND
Barium (ppm)         2         0.07         Oxamyl [Vydate](ppb)         200         ND           Beryllium (ppb)         4         ND         Pentachlorophenol(ppb)         1         ND           Bromate(ppb)         10         ND         Picloram(ppb)         500         ND           Cadmium (ppb)         5         ND         PCBs(ppt)         500         ND           Chloramines(ppm)         4         ND         Simazine(ppb)         4         ND           Chlorine(ppm)         4         2.08         Styrene(ppb)         100         ND           Chlorine dioxide(ppb)         800         ND         Tetrachloroethylene(ppb)         5         ND           Chlorite(ppm)         1         ND         Toluene(ppm)         1         ND           Chlorite(ppm)         4         ND         To		7	ND		40	ND
Beryllium (ppb)		2	0.07	Oxamyl [Vydate](ppb)	200	ND
Seromate(ppb)   10		4	ND	Pentachlorophenol(ppb)	1	ND
Cadmium (ppb)         5         ND         PCBs(ppt)         500         ND           Chloramines(ppm)         4         ND         Simazine(ppb)         4         ND           Chlorine (ppm)         4         2.08         Styrene(ppb)         100         ND           Chlorine dioxide(ppb)         800         ND         Tetrachloroethylene(ppb)         5         ND           Chlotite(ppm)         1         ND         Toluene(ppm)         1         ND           Chlotite(ppm)         1         ND         Toluene(ppm)         1         ND           Chromium (ppb)         100         ND         TOC         TT         0.77           Copper (ppm) (2019)         AL=1.3         0.14         TTHM(ppb)         80         29.00           Cyanide (ppb)         200         ND         Toxaphene(ppb)         3         ND           Fluoride (ppm)         4         ND         2,4,5-TP (Silvex)(ppb)         3         ND           Lead (ppb) (2019)         AL=15         ND         1,2,4-Trichloroethane(ppb)         70         ND           Mercury (ppb)         2         ND         1,1,1-Trichloroethane(ppb)         5         ND           Nitrate (ppm)         1 </td <td></td> <td>10</td> <td>ND</td> <td>Picloram(ppb)</td> <td>500</td> <td>ND</td>		10	ND	Picloram(ppb)	500	ND
Chlorine(ppm)		5	ND	PCBs(ppt)	500	ND
Chlorine(ppm)         4         2.08         Styrene(ppb)         100         ND           Chlorine dioxide(ppb)         800         ND         Tetrachloroethylene(ppb)         5         ND           Chlotite(ppm)         1         ND         Toluene(ppm)         1         ND           Chromium (ppb)         100         ND         TOC         TT         0.77           Copper (ppm) (2019)         AL=1.3         0.14         TTHM(ppb)         80         29.00           Cyanide (ppb)         200         ND         Toxaphene(ppb)         3         ND           Fluoride (ppm)         4         ND         2,4,5-TP (Silvex)(ppb)         50         ND           Lead (ppb) (2019)         AL=15         ND         1,2,4-Trichlorobenzene(ppb)         70         ND           Mercury (ppb)         2         ND         1,1,1-Trichloroethane(ppb)         200         ND           Nickel (ppm)         0.1         ND         1,1,2-Trichloroethane(ppb)         5         ND           Nitrate (ppm)         1         ND         Trichloroethylene(ppb)         5         ND           Total Nitrate & Nitrite         10         ND         Xylenes(ppm)         10         ND           <	Chloramines(ppm)	4	ND	Simazine(ppb)	4	ND
Chlotite(ppm)   1		4	2.08	Styrene(ppb)	100	ND
Chromium (ppb)   100	Chlorine dioxide(ppb)	800	ND	Tetrachloroethylene(ppb)	5	ND
Copper (ppm) (2019)	Chlotite(ppm)	1	ND	Toluene(ppm)	1	
Cyanide (ppb)         200         ND         Toxaphene(ppb)         3         ND           Fluoride (ppm)         4         ND         2,4,5-TP (Silvex)(ppb)         50         ND           Lead (ppb) (2019)         AL=15         ND         1,2,4-Trichlorobenzene(ppb)         70         ND           Mercury (ppb)         2         ND         1,1,1-Trichloroethane(ppb)         200         ND           Nickel (ppm)         0.1         ND         1,1,2-Trichloroethane(ppb)         5         ND           Nitrate (ppm)         10         ND         Trichloroethylene(ppb)         5         ND           Nitrite (ppm)         1         ND         Vinyl Chloride(ppb)         2         ND           Total Nitrate & Nitrite         10         ND         Xylenes(ppm)         10         ND           Selenium(ppb)         50         ND         ND         ND         ND           Organic Chemicals         Acrylamide         TT         ND         ND           Alachlor(ppb)         2         ND         ND           Atrazine(ppb)         3         ND           Benzene(ppbv)         5         ND	Chromium (ppb)	100	ND	TOC	TT	0.77
Fluoride (ppm)   4	Copper (ppm) (2019)	AL=1.3	0.14	TTHM(ppb)	80	29.00
Fluoride (ppm)	Cyanide (ppb)	200	ND	Toxaphene(ppb)		ND
Mercury (ppb)   2   ND		4	ND	2,4,5-TP (Silvex)(ppb)	50	
Nicket   (ppm)   0.1	Lead (ppb) (2019)	AL=15	ND	1,2,4-Trichlorobenzene(ppb)	70	ND
Nitrate (ppm) 10 ND Trichloroethylene(ppb) 5 ND Nitrite (ppm) 1 ND Vinyl Chloride(ppb) 2 ND Total Nitrate & Nitrite 10 ND Xylenes(ppm) 10 ND Selenium(ppb) 50 ND Thallium(ppb) 2 ND Organic Chemicals Acrylamide TT ND Alachlor(ppb) 3 ND Atrazine(ppb) 5 ND Benzene(ppbv) 5 ND	Mercury (ppb)	2	ND	1,1,1-Trichloroethane(ppb)	200	
Nitrate (ppm)         10         ND         Trichloroethylene(ppb)         5         ND           Nitrite (ppm)         1         ND         Vinyl Chloride(ppb)         2         ND           Total Nitrate & Nitrite         10         ND         Xylenes(ppm)         10         ND           Selenium(ppb)         50         ND         ND         ND           Thallium(ppb)         2         ND         ND           Organic Chemicals         TT         ND           Alachlor(ppb)         2         ND           Atrazine(ppb)         3         ND           Benzene(ppbv)         5         ND		0.1	ND	1,1,2-Trichloroethane(ppb)	5	ND
Total Nitrate & Nitrite 10 ND Xylenes(ppm) 10 ND  Selenium(ppb) 50 ND  Thallium(ppb) 2 ND  Organic Chemicals  Acrylamide TT ND  Alachlor(ppb) 2 ND  Atrazine(ppb) 3 ND  Benzene(ppbv) 5 ND		10	ND	Trichloroethylene(ppb)		ND
Total Nitrate & Nitrite         10         ND         Xylenes(ppm)         10         ND           Selenium(ppb)         50         ND         ND         Thallium(ppb)         2         ND         ND         ND         ND         Acrylamide         TT         ND         ND         Alachlor(ppb)         2         ND         Atrazine(ppb)         3         ND         ND </td <td></td> <td>1</td> <td>ND</td> <td>Vinyl Chloride(ppb)</td> <td>2</td> <td></td>		1	ND	Vinyl Chloride(ppb)	2	
Thallium(ppb)         2         ND           Organic Chemicals         ND           Acrylamide         TT         ND           Alachlor(ppb)         2         ND           Atrazine(ppb)         3         ND           Benzene(ppbv)         5         ND		10	ND	Xylenes(ppm)	10	ND
Organic Chemicals  Acrylamide TT ND  Alachlor(ppb) 2 ND  Atrazine(ppb) 3 ND  Benzene(ppbv) 5 ND	Selenium(ppb)	50	ND			
Acrylamide         TT         ND           Alachlor(ppb)         2         ND           Atrazine(ppb)         3         ND           Benzene(ppbv)         5         ND	Thallium(ppb)	2	ND	]		
Alachlor(ppb)         2         ND           Atrazine(ppb)         3         ND           Benzene(ppbv)         5         ND	Organic Chemicals	A SOLETION				
Atrazine(ppb) 3 ND Benzene(ppbv) 5 ND	Acrylamide					
Benzene(ppbv) 5 ND	Alachlor(ppb)		ND			
Detrice (pper)	Atrazine(ppb)	3	ND	_		
Renzo(a)nyrene[PHAs](npt) 200 88.60	Benzene(ppbv)	5	ND	1		
Benzo(u)pyrene[111115](ppt)	Benzo(a)pyrene[PHAs](ppt)	200	88.60	]		

40

5

2

100

70 200

200

Carbofuran(ppb)

Chlordane(ppb) Chlorobenzene(ppb)

Dalapon(ppb)

2,4-D

Carbon Tetrachloride(ppb)

Dibromochloropropane(ppt)

ND

ND

ND

ND ND

ND

ND

	Table	of Detected D	rinking	wa	ter Cont	amınant	S	
CONTAMINANT	MCLG	MCL	Range		Amount Detected		Likely Source of Contamination	
	Bacte	ants January - Dece			mber 2022			
Turbidity	0	TT				0.06	NTU	Soil runoff
Alpha emitters	0	15	0	-	ND	1.70	pCi/L	Erosion of natural deposits
Barium	2	2	ND		0.07	0.07	ppm	Discharge of drilling waste discharge from metal refineries; erosion of natura deposits
Chlorine	MRDLG 4	MRDL 4	2.03	-	2.10	2.08	ppm	Water additive used to control microbes
Copper (2019)	1.3	AL=1.3	No. of Si level	tes a	bove action	0.59 ppm		Corrosion of household plumbing systems; erosion of natural deposits; leachin from wood preservatives
Lead (2019)	0	AL=15	No. of Sites above action level 0		ND	ppb	Corrosion of household plumbing systems, erosion of natural deposits	
Nitrate (as N)	10	10	ND	-	ND	ND	ppm	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
Total Nitrate & Nitrite	10	10	ND		ND	ND	ppm	Runoff from fertilizer use; leaching from septic tanks, sewage; erosion of natural deposits
Turbidity	N/A	TT		=		0.10	NTU	Soil runoff
	Or	ganic Contaminan	ts Jan	uar	y - Decemb	er 2022		
Haloacetic Acids (HAA5)	N/A	60	11.00	-	56.00	27.75	ppb	By-product of drinking water chlorination
Total Organic Carbon (TOC)	N/A	TT	ND		1.60	0.77	ppm	Naturally present in the environment
Total Trihalomethanes (TTHM)	0	80	16.00	-	54.00	29.00	ppb	By-product of drinking water chlorination
	Seco	ondary Contamina	nts Ja	nua	ry - Decem	ber 2022	The past of	
Chloride (2018)	N/A	250	7.03	-	7.03	7.03	ppm	Naturally occurring in the environment or as a result of agricultural runoff
Color	N/A	15	ND	-	2.35	0.71	PCU	Naturally occurring in the environment or as a result of treatment with water additives
Copper	N/A	1	ND	.2	0.48	0.48	ppm	Erosion of natural deposits; leaching from pipes
ron	N/A	0.3	0.01		0.02	0.02	ppm	Erosion of natural deposits
Magnesium	N/A	0.05	9.20	-	9.20	9.20	ppm	Erosion of natural deposits
Sulfate	N/A	250	9.10	•	9.10	9.10	ppm	Naturally occurring in the environment
Total Dissolved Solids	N/A	500	157.00	-	168.00	162.5	ppm	Erosion of natural deposits
	Sp	ecial Contaminants	Janu	ary	- Decembe	r 2022		
Calcium	N/A	N/A	44.70	-	44.70	44.70	ppm	Erosion of natural deposits
Carbon Dioxide	N/A	N/A	14.33	-	25.84	18.53	ppm	Erosion of natural

Temperature	N/A	N/A	13.94	S#1	22.30	17.88	°C	Naturally occurring in the environment
Total Alkalinity	N/A	N/A	142.16	520	162.41	151.43	ppm	Erosion of natural deposits
Total Hardness (as CaCO3) (2018)	N/A	N/A	164.00	-	164.00	164.003	ppm	Naturally occurring in the environment or as a resul of treatment with water additives
Unregulated Contaminants January - December 2022								
Bromodichloromethane	N/A	N/A	ND		0.009	0.005	ppm	Naturally occurring in the environment or as a result o industrial discharge or agricultural runoff; byproduct of chlorination
Chloroform	N/A	N/A	0.009	æ	0.043	0.022	ppm	Naturally occurring in the environment or as a result o industrial discharge or agricultural runoff; byproduct of chlorination
Dibromochloromethane	N/A	N/A	ND		0.003	0.00132	ppm	Naturally occurring in the environment
Per-and Polyfluoroalkyl Substances (PFAs)	N/A	N/A	ND		N/D	N/D	ppb	Stable manmade chemicals that allow them to repel both water and oil.

#### GENERAL INFORMATION

MCL's are set at very stringent levels. To understand the possible health effects described for many regulated contaminants, a person would have to drink 2 liters of water every day at the MCL level for a lifetime to have a one-in-a-million chance of having the described health effect.

Unregulated contaminants are those for which EPA has not established drinking water standards. The purpose of unregulated contaminant monitoring is to assist EPA in determining the occurrence of unregulated contaminants in drinking water and whether future regulation is warranted.

### Reporting Violation

The Water Works Board of the City of Attalla, Alabama has incurred a reporting violation by failing to submit the SEPTEMBER 2022 MOINITORING PERIOD results by October 10, 2022. ADEM Admin. Code r.335-7-2-.20(1)(a) states, "the supplier of water shall report to the department the results of any test, measurement or analysis within the first 10 days following the month in which the result is received or the first 10 days following the end of the required monitoring period as stipulated by the Department, whichever is shortest."

During the year 2022 Attalla Water Works had a reporting violation. This occurred because the laboratory testing our samples did send the results to the Alabama Department of Environmental Management in the required time. We want to assure our customers that the quality of water was not affected in any way.

As you can see by the tables, our system had no violations of allowable limits of contaminants in drinking water. We're proud that your drinking water meets or exceeds all Federal and State requirements. We have learned through our monitoring and testing that some contaminants have been detected. The EPA has determined that your water IS SAFE at these levels.

The sources of drinking water (both tap water and bottled water) include rivers, lakes, streams, ponds, reservoirs, springs, and wells. As water travels over the surface of the land or through the ground, it dissolves naturally occurring minerals and radioactive material, and it can pick up substances resulting from the presence of animals or from human activities.

Some people may be more vulnerable to contaminants in drinking water than the general population. People who are immuno-compromised such as cancer patients undergoing chemotherapy, organ transplant recipients, HIV/AIDS positive or other immune system disorders, some elderly, and infants can be particularly at risk from infections. People at risk should seek advice about drinking water from their health care providers. EPA (Environmental Protection Agency)/CDC (Center of Disease Control) guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbiological contaminants are available from the Safe Drinking Water Hotline. All Drinking water, including bottled drinking water, may reasonably be expected to contain at least small amounts of some contaminants. More information about contaminants and potential health effects can be obtained by calling the Environmental Protection Agency's Safe Drinking Water Hotline (800-426-4791).

If present, elevated levels of lead can cause serious health problems, especially for pregnant women and young children. Lead in drinking water is primarily from materials and components associated with service lines and home plumbing. The Attalla Water Works Board is responsible for providing high quality drinking water, but cannot control the variety of materials used in plumbing components. When